



# -40°C Upright Freezer LUF-B26

## **-40°C Upright Freezer LUF-B26**

-40°C Upright Freezer LUF-B26 is an upright type freezer with two chambers. Microprocessor based temperature controlled technology with -10 to -40°C adjustable range. It comes with 60 mm foaming insulation, and double silicon gasket seal. Equipped with imported famous compressor (2 units) to separately control up and down temperature. Complied with international standards

### **Features**

- 2 chamber upright freezer
- LCD digital temperature display
- Door with safety locks
- ABS interior material
- Stainless steel painted outer panel
- ABS material inside plastic drawers
- Rotatable, fine grip door handle
- 04 Casters for easy handling
- Adjustable stainless steel shelves
- Password protection configuration page
- Audible and visual alarm, high or low temperature alarm, system failure

### **Application**

Used in genetic engineering, molecular biology, virology, medicine, pharmacy industry for cryo-preservation of vaccines, drugs, nucleic acids, and other medical and bacteriological, biological material.

## Specifications

<b>Model no.</b>	<b>LUF-B26</b>
Capacity	450 L
Input power	650 W
External dimension (W*D*H)	655 × 780 × 1845 mm
Internal dimension (W*D*H)	530 × 626 × 1356 mm
Refrigerant	R134a, CFC free
Inside plastic drawers	12 units
Net weight	120 kg
Gross weight	140 kg
Power supply	110/ 220 V, 50/60 HZ

## Optional accessories

- Chart recorder
- CO2 back up
- Storage racks, boxes
- Remote alarm system